

**Balochistan Medical Faculty** 

# **Affiliation Criteria**

For Institutions of Allied Health Sciences Education

### 1. General Provisions:

- 1.1 Institution applying for fresh affiliation shall submit the case on the prescribed form well before the beginning of the academic session. The application shall be entertained upto15<sup>th</sup>February of the year. Application shall not be entertained after expiry of the deadline.
- 12 The institution shall submit a written undertaking on a surety bond to observe the rules and regulations notified by the Governing Body of BMFQ from time to time; sample undertaking is at **Annex N**.
- **13** The Institution requesting for affiliation with BMFQ will not seek affiliation with any other organization for the sake of Allied Health Science education.
- 1.4 Every institution shall provide reports or any other information as and when required by BMFQ.
- 15 The institution shall submit a detailed Annual Teaching Plan encompassing teaching and practicaltraining activities at the beginning of academic year.
- 16 The BMFQ may call upon any institution so affiliated to take such action as may appear to be necessary in respect of any matter.
- 1.7 Any affiliated private institute shall not be allowed to open any branch of the same institution in the same or any other town. Any branch or extension of the same institution shallundergo the same process as of a new institution and shall be granted affiliation after observing all formalities and proper inspection.
- 18 Change of premises of the institute shall not be allowed until prior permission of BMFQ is sought and the new building is inspected.Inspection shall be carried out with the same terms & conditions as of a new institution.
- 19 When an institution desires to add a new course of instruction, the procedure prescribed for affiliation shall be followed.
- 1.10 No institution shall name itself on titles used for various public sector institutions e.g. Sheikh Zayed Hospital, etc.
- 1.11 A team nominated by the Affiliation Committee of BMFQ will inspect the institution prior to grant of affiliation; status of the institution for affiliation shall be decided after considering the inspection report. Affiliation shall be granted only for the categories considered satisfactory.
- **1.12** Inspection shall not be carried out unless the mandatory fee is deposited and all necessary documentation is completed.

- **1.13** The affiliation shall be granted for the following courses:
  - 1.13.1 Courses from New Scheme of Studies: Diploma courses of two years' duration regarding:
    - i. Medical Laboratory Technology
    - ii. Operation Theater Technology
    - iii. Radiography& Imaging Technology
    - iv. Physiotherapy
    - v. Renal Dialysis Technology
    - vi. Public Health Technology
    - vii. Ophthalmic Technician
  - 1.13.2 Courses from Old Scheme of Studies: certificate course of one year's duration regarding Dispenser; two years' diploma for Dental Technician.
  - 1.13.3 The specialty courses may be considered in standalone teaching institution, except "Mortuary Assistant" (Ref. MoM dated 18.02.2021) subject to the fulfilment of criteria.
- 1.14 The institutions shall be provisionally affiliated when the Affiliation Committee of BMFQ is satisfied that the following conditions are fulfilled:
  - 1.14.1 The Institute to be affiliated has ownership of a hospital/health facility that complies with the criteria specified in section 4 or has valid Memorandum of Understanding (MoU) with a hospital/health facility that fulfills the criteria as described in this section (sample MOU is at **Annex M)**.
  - 1.14.2 The requirements for building, infrastructure, equipment's and staff are according to the prescribed specific criteria depicted in Sections 2 to 5.
- 1.15 Any paramedical institute may be inspected by any member of the Governing Body or any other nominee of BMFQ during working hours without any prior/ advance notice or information.
- **1.16** The institute shall make admissions only after the notification for its affiliation is issued by BMFQ.
- 1.17 The admissions will be done once a year and in single shift only. The admissions will be made only after advertisement by the Director General Health Services / Balochistan Medical Faculty.Minimum quorumof admissions as determined by BMFQ shall be followed.
- 1.18 Provisional affiliation shall be granted for a period of two yearson the recommendations of the inspection team. The affiliation granted will automatically expire at the end of this period. The head of institution will be required to apply for renewal/continuation in affiliation for the next two yearsby 15<sup>th</sup>February of the year in which expiry is due.
- 1.19 Any institute rejected by the Affiliation Committee may apply against the decision of the Affiliation Committee within 15 days after receiving the disaffiliation notice which will be decided by the Governing Body of BMFQ.
- 120 A provisionally affiliated institution shall be considered for disaffiliation, if it:

- 1.20.1 fails to conform to the conditions of affiliation;
- 1.20.2 fails to remove defects/observations communicated by the BMFQ, within stipulated period;
- 1.20.3 works against the norms, conduct or interests of the BMFQ.

The Institute shall have staff according to the yardsticks prescribed for each technology.

- 2.1 There will be a designated 'Course Coordinator' for each technology being offered by the affiliated institute. S/he will be hired on full time basis.
- 22 An NOC from administrative in-charge of government organization shall be required in case of a specialist who is government servant and is engaged as part-time teacher.
- 2.3 Technologist possessing B.Sc (Hons) or higher qualification will be accepted as specialist teacher for the relevant technology.
- 24 All staff members shall be employed on a written agreement between the employee & the employer stating clearly the terms & conditions of service.
- 25 The minimum salary for permanent staff shall not be less than the governmentscales.

# 3. Physical Infrastructure / Teaching Support

- a) Total Covered Area of teaching campus: not < 40 sq feet / seatapplied
- b) Area Specified for Class Rooms: not < 15 sq feet / seat applied Minimum seating capacity / class room: 25
- c) Laboratories: PharmacyLab, according to specifications, shall be situated within the institute if dispenser category is applied. A demonstration laboratory for Medical Lab Technology, with prescribed specifications, shall be available within the campus, if this category is demanded.
- d) Library: not < 400 sq feet</li>
   At least 10 books of appropriate level / 25 students related to each awarded technology must be present.
- e) **Demonstration Room:** not < 400 sq feet-having:
  - Examination Couch and stools for 25 Students
  - Model of Human Skeleton, models of human body and charts
  - Equipments / materials required for each awarded technology
- f) Electricity backup to be available

# 4. Attached Hospital

- 4.1 For provision of on-hand practical trainingthe Institute should preferably have its own hospital facility with diverse and appropriate number of departments.
- 42 If the institute does not have its own hospital, it can sign Memorandum of Understanding<sup>1</sup> (MOU) with a hospital fulfilling criteria. A hospital can sign MOU with only one paramedical institute.Validity of an MOU shall be for two years.
- 4.3 The hospital shall be at least 20 bedded<sup>2</sup>.
- 4.4 The attached hospital shall have valid license from Balochistan Healthcare Commission; in case a license is not available there shall be provisional registration.
  - a) The new institute will provide registration of the hospital with Balochistan Healthcare Commission while submitting application for affiliation.
  - b) If any institute which is already affiliated with BMFQ, intends tocontinue its affiliation and its attached hospital is not licensed, it will have to submit the copy of application submitted for registration with BHC.
- 45 In case BHC rejects the application for licensing of any hospital which is attached with the institute having affiliation with BMFQ or if the license of the hospital is cancelled by the BHC, the affiliation of the institute with BMFQ will stand cancelled.
- 4.6 In case the hospital is owned by Government it should not already have an attached paramedical institution. The terms of attachment with private institution shall be clearly spelled out in an MOU and permission from the Secretary to Govt. of the Balochistan, Specialized Health Care & Medical Education Department shall be obtained in this regard. The hospital being attached shall not be below THQ level.
- 4.7 The distance between the institute and the attached hospital in the big cities up to 20 KM and in small cities up to 5 KM will be admissible subject to provision of the copy of registration of a vehicle in the name of institute as per detail given below:
  - a) If the distance between the institute and attached hospital is more than One Km and the institute is having 50 seats ormore, the institute will have to submit a valid registration of 28 seaters vehicle in the name of the institute
  - b) If the institute has a strength less than 50 seats, it will have to submit a copy of registration of 16 seaters vehicle in the name of the institute

# 5 Record

Every institution shall maintain the following record:

- a) Student's admission register containing the name of every student, his father's name, residential address and date of admission
- b) Attendance register, class-wise
- c) Staff salary register or pay roll

<sup>&</sup>lt;sup>1</sup>Follow the following instructions while preparing MoU:

a) MoU is to be prepared on letterhead pad of the concerned hospital.

b) Appropriate titles for the designations of signatories e.g. Administrator, Medical Superintendent,

Principal etc. are to be used..

<sup>2</sup>The beds available in proper wards, private rooms and emergency will be counted.

- d) Staff attendance register
- e) Fee and others dues receipt register
- f) Income and expenditure account books, ledger etc;
- g) Register of assets, investments, stores, furniture, fixtures, equipment's and apparatus
- h) Documents relating to yearly budget duly approved by the management.

# 6 Financial Base

The Institute should be financially sound and exhibit accounting transparency by:

- a) Arranging annual audit by a reputable firm.
- b) Doingall transactions including salary transfers through bank.

# 7 Proportion of Assessment

Proportion of importance of different parameters during inspection would be as depicted below. The target score is 70% or above.

Sr. No.	Assessment Parameters	Scoring Proportion
Α.	Attached Hospital(s) – preference awarded to institutions having own hospital	50
В.	Physical Infrastructure / Equipments Support	30
C.	HR	10
D.	Financial Base	10

Detailof marks awarded to parameters described above relating to institutions applying for fresh affiliation and continuation of affiliation is depicted in **Part II**.

- The requirements for the courses are depicted in Annex A to Annex L
- In case Public Health Technicians are trained a valid MOU with District Health / Municipal Health Management shall be available describing elaborate arrangements for practical attachment.

# 8 Affiliation Fee

Following fees shall be required for the affiliation process. Governing Body of BMFQ may change the rates as and when required.

HEAD	AMOUNT
Inspection Fee	Rs. 100,328/-
Continuation / Renewal / Re-inspection Fee	Rs. 57,330/-
Affiliation Fee per Category (in case affiliation is granted, not applicable for renewal of affiliation)	Rs. 14,333/-
Application processing fee / price of application form	Rs. 7,140/-
Retention fee (per category)	Rs. 7,140/-

# **Marks Distribution for Different Parameters**

# Part - I

# 1. Hospital ( Not less than 20 beds)

Sr. #	Parameter	Marks
1	Additional Marks	10
	No. of Beds: Marks for bed strength of 30	
	No. of Beds: Marks for bed strength of 50	20
_	Maximum for Section 1	20
2	Distance of Hospital from teaching campus	
	a) Adjacent/ One KM or less	10
	b) In big cities distance up to 20 KM and in small cities	
	distance up to 5 KM with valid registration of vehicle in the name of the institute.	6
	Maximum for Section 2	10
3	a) License from Balochistan Healthcare Commission	
	(Hospital without valid registration shall not be considered)	20
	<ul> <li>b) In case hospital is not licensed but registered with BHC, availabilit services as per specifications:</li> </ul>	y of facilities /
	<i>i.</i> Availability of 24 hours emergency services	2
	ii. Cardiac monitor, defibrillator, ECG machine	2
	iii. Availability of basic clinical support services	
	a). Clinical lab, (Marks = 2)	
	b). X-ray,(Marks = 2)	8
	c). Pharmacy (Marks = 2)	
	d). Operation Theatre (Marks = 2)	
	iv. Availability of essential clinical services: Medicine, Surgery,	2
	Pediatrics, Gyn- Obs	
	v. Level of cleanliness & sterilization	2
	vi. Ambulance	2
	vii. Hospital own blood bank	2
	Maximum for section 3-b	20
	Maximum for section 3	20
	Total for Hospital	50

Note: A Medical / Clinical Lab outside hospital shall also be acceptable for the purpose of clinical attachment of students of medical laboratory Technology

# Physical Infrastructure/Equipments

Sr No.	Parameter	Marks
1	Institute having its own building	6
2	Building according to specified parameters	10
3	Classrooms according to specifications	8
4	Library (size and availability of books – minimum 10 books of appropriate standard for each 25 students of a technology). Maximum five years old edition.	3
5	Demonstration Room (size & and availability of models	3
	Total	30

# 2. Financial Base

3.11: For institutions applying for continuation of Affiliation

Sr. No.	Parameter	Marks
1	Institution having a bank account in its name and all transactions made through bank	5
2	Availability of arrangements for institutions financial audit	5
	Total	10

# 3.22: For institutions applying for New Affiliation

Sr. No.	Parameter	Marks
1	Institution having a bank account in its name and all transactions made through bank <sup>3</sup>	5
2	Income Tax return(s) of owner(s)	5
	Total	10

<sup>&</sup>lt;sup>3</sup>In case such account is not available, a separate and dedicated account for institution related transactions shall be arranged. This account is to be essentially converted to institute's name after grant of affiliation.

**3. Human Resource** (Number, qualification and experience of teaching faculty to be assessed separately for each demanded technology)

Sr No.	Parameter	Marks
1	Availability of service contracts	5
2	Abidance of salary structure according to government scale	5
	Total	10

# **Grand Total Part I**

Sr No.	Parameters	Marks
1	Hospital	50
2	Physical infrastructure/ equipments	30
3	Financial base	10
4	Human Resource	10
	Total	100

# Important Note

50% score in each section separately is mandatory. 70% marks in total are also mandatory for affiliation.

# Part – II

HR / demonstration equipment / materials / models for the demanded technology

Sr No.	Technology	Marks	
1	Dispenser	50	Annex A
2	MLT	50	Annex B
3	Operation Theater	50	Annex C
4	Radiography & Med Imaging	50	Annex D
5	Public Health Technician	50	Annex E
6	Physiotherapy Technician	50	Annex F
7	CSST	50	Annex G
8	Dialysis Technician	50	Annex H
9	Ophthalmic Technician	50	Annex I
10	Endoscopy Technician	50	Annex J
11	Dental Technician	50	Annex K
12	Anesthesia Technician	50	Annex L

*Minimum marks required for Part II: 35 for each demanded category* (absence / lack for any specific category will make the institution ineligible for that particular technology)

# Part – III

#	Parameters	Proposed
1	Previous Cumulative Result:	
	Less than 20%	0
	20%30%	3
	31%40%	5
	41%50%	8
	50% and above	10
2	Compliance with Policy:	
	Submission of Teaching Plan	2
	Submission of Bank Statements	2
	Timely Registration	2
	Maximum for Section 2:	6
3	No genuine complaint/ warning during	4
	previous two years	
	Total	20

Only for Institutions Applying for Continuation of Affiliation

Minimum marks required for Part III: 15

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Doctor	MBBS
Pharmacist	B Pharmacy
Dispenser	Dispenser with 5years' experience

### Marks for HR:

1	Number of teachers according to the specified yardstick *	12
2	Qualification of teachers according to the specified yardstick	12
3	Experience of technicians according to the specified yardstick **	3
4	Availability of full-time course coordinator	3

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years or more	3
3 – 5yrs	2
2 – 3yrs	1

# **B.** Arrangements for Practical Training

B-1:<u>Pharmacy Laboratory</u>: not < 400 sq feet (to be situated in the teaching campus).

### a) Apparatus

1.	Weighing balance
2.	Fractional weights
3.	Measuring cylinders
4.	Beakers
5.	Conical flask
6.	Pipettes
7.	Pestle & Mortar
8.	Funnel
9.	Glass or Porcelain tile
10.	Burner

-	11.	Tripod stand Glass rods
-	12.	Glass rods
2	13.	Litmus paper
2	14.	Filter paper
2	15.	Spatula
2	16.	Dispensing bottle

17. Cork

# b) Chemicals/ Ingredients for Different Preparations

	culcults for Billeren	
1.		Aspirin
2.	- 	Phenacetin
3.	Powders	Caffeine
4.		Talc
5.		Starch
6.		Light Kaolin
7.		Zinc Oxide
8.		Liquid Paraffin
9.		Glycerin
10.		Wood Fat
11.	· .	Paraffin Wax
12.	Ointracato	Soft Paraffin
13.	Ointments	Hard Paraffin
14.		Vaseline
15.		White Wax
16.	1	Sulphur
17.		Salicylic Acid
18.		Benzoic Acid
19.		Acriflavin
20.		Calamine
21.	u	Zinc Oxide
22.		Bentonite
23.	Solutions/Lotions	Sodium Citrate
24.		Liquefied Phenol
25.	u	Glycerin
26.		Sodium Chloride
27.		Potassium Permanganate
28.		Dextrose
29.		Boric Acid
30.	u	lehthammol
31.	Ear Drops	Glycerin
32.		Salicylic Acid
33.		Soda Bicarbonate
34.	Throat Paint	Tincture iodine
35.		Potassium iodide
	1	· · · · · · · · · · · · · · · · · · ·

<ol> <li>36.</li> <li>37.</li> <li>38.</li> <li>39.</li> <li>40.</li> <li>41.</li> <li>42.</li> <li>43.</li> <li>44.</li> <li>45.</li> <li>46.</li> </ol>	Carminative Mixture	Tincture Aconite Tincture Myrrah Peppermint oil Tannic Acid Glycerin Thymol Sodium Bicarbonate Tincture Cardamom Compound Spirit Ammonia Aromatic Spirit Chloroform Distilled Water
47. 48. 49. 50. 51. 52. 53. 54.	Miscellaneous	Poppy Seeds Belladonna roots Aspirin Powder Sodium Bicarbonate Copper Sulphate Menthol Crystal Camphor Gentian Violet

### **B-1: Demonstration Room**

a) Appliances

1   Inermometer	1	Thermometer
-----------------	---	-------------

- 2 Stethoscope
- 3 B.P Apparatus
- 4 Sterilizer
- 5 Tongue Depressor
- 6 Splints

### b) Disposables

- 1. I.V Branula
- 2. Butterfly needle
- 3. Nasogastric tubes
- 4. Folley,s Catheter
- 5. Urine bags
- 6. CVP Line
- 7. Simple bandages
- 8. Crepe Bandages
- 9. Plaster of Paris Bandages
- 10. ECG electrodes
- 11. Lumber Puncture needle

- 12. Airways
- 13. Endotracheal tubes
- 14. Intravenous infusion sets
- 15. Blood transfusion sets
- 16. Blood bags
- 17. Surgical Sutures (Viery 1, Prolene, Silk, Catgut )

# Marksfor Practical Training:

1	Pharmacy Lab of specified area		5
2	Apparatus		5
3	Chemicals/ Ingredients for Different Preparations		5
4	Appliances&Disposables		5
		Total:	20

### **Cumulative Assessment:**

1	1	Human Resource	30
2	2	Arrangements for practical training	20
		Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Specialist Doctor	MBBS. DCP
Technologist*	BSc (Hons)
Lab Technician	With 5years' experience
	*in case a specialist doctor is not availab

### Marks for HR:

ſ	1	Number of teachers according to the specified yardstick *	12
	2	Qualification of teachers according to the specified yardstick	12
	3	Experience of technicians according to the specified yardstick **	3
	4	Availability of full-time course coordinator	3

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years or more	3
3 – 5yrs	2
2 – 3yrs	1

# **B.** Arrangements for Practical Training

### B-1: Demonstration Lab within Institute:

### c) Physical Parameters

- 18. Properly ventilated laboratory: Size: 15 feet x20 feet
- 19. Water supply wash basins and gas burners for experimental work
- 20. Marble table tops for laboratory (height 34 inches)
- 21. Laboratory chairs or students lab. stools (at least 13)

### d) Equipments

1.	Teaching Microscope double head with pointer
2.	Electricity operated Student Microscope at least
	six for 25 students

#### e) Glassware

1.	Glass slides and cover slips
2.	Petri dishes
3.	RBC, WBC pipettes
4.	Petri dishes RBC, WBC pipettes Automatic pipettes

#### f) Stain and Media

1.	Giemsa's Stain/Leishman Stain/Fields
	stain
2.	Gram Stain
3.	Reticulocyte Stain
4.	ZN stain
5.	Blood agar
6.	Chocolate agar
7.	Mackonkey agar
8.	Cedar wood oil
9.	Electrolyte Analyzer

#### B-2: Functional Clinical Lab:

#### a) Physical Parameters

Properly ventilated and room temperature controlled laboratory: Size: 15 feet x20 feet

### b) Equipments

- 1. Westergreen's tubes, Wintrobe tubes and ESR stands
- 2. Centrifuge machines
- 3. Hematology Analyzer
- 4. Chemistry Analyzer. A basic chemistry analyzer (Spectrophotometer) optional
- 5. Waterbaths
- 6. ABGs Analyzer
- 7. Elisa Strip Reader
- 8. Autoclave
- 9. Hot Air Oven
- 10. Incubator
- 11. Refrigerator
- 12. Tissue Process
- 13. Microtome
- 14. Microbiology Hood
- 15. ESR Stand Pipettes

# c) Arrangements for Tests

Sr. No.	Clinical Type	
1	Histopathology	
2	Hematology including Blood Cross Matching	
3	Bacteriology	
4	Biochemistry	
-		

# Marks for Practical Training:

	Demonstration Lab within Institute	
	a. Physical Parameters = 3	
1	b. Equipments = 3	10
L T	c. Glassware = 2	10
	d. Stain and Media = 2	
	Maximum Marks = 10	
	Functional Clinical Lab	
	a. Physical Parameter= 3	
2	b. Equipments = 4	10
	c. Variety of Tests = 3	
	Maximum Marks = 10	
	Total:	20

### **Cumulative Assessment:**

Ī	1	Human Resource	30
	2	Arrangements for practical training	20
		Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Doctor	MBBS, DMRD
Technologist*	BSc (Hons)
Technician / Radiographer	Radiographer with 5years' experience

\*in case a specialist doctor is not available

### Marks for HR:

1	Number Of teachers according to the specified yardstick *	12
2	Qualification of teachers according to the specified yardstick	12
3	Experience of technicians according to the specified yardstick**	3
4	Availability of full-time course coordinator	3

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years	3
3 – 5yrs	2
2 – 3yrs	1

# **B.** Arrangements for Practical Training

### B-1:X-Ray Room Size:15 x 15 feet

### **B-2: Equipment**

- 1 X-Ray Machine (300 M.A) along with cassette and screen all sizes
- 2 Auto Processor
- 3 Mobile X-Ray Unit
- 4 Flouroscopy
- 5 Film Badges Dosimeter
- 6 Ultrasound Machine

### B-3:Dark Room

- a) <u>Size</u>:10 x 8 feet
- b) <u>Elements</u>
  - Film processing tanks with running water 1
  - Loading shelf 2
  - 3 Safe light

### **B-4: Protection**

- g) Personal
- Lead Apron 1
- 2 Gloves
- Goggles
- 3 4 Gonadal Sheet
- 5 Thyroid Protector
- Lead Equivalent Glass 6

### h) Public

18.	Brick Wall/ Concrete Equivalent Thickness 10" Doors & Windows Protected with Lead Sheets
19.	Doors & Windows Protected with Lead Sheets

### **Marksfor Practical Training:**

1	X-Ray Room Size	3
2	Equipment	6
3	Dark Room Size	2
4	Dark Room Elements	4
5	Protection (Personal & Public)	5
	Total:	20

## **Cumulative Assessment:**

1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Doctor	FRCS/ FCPS/ MS
Technologist*	BSc (Hons)
Technician / OTA	OTA with 5years' experience
	*in case a specialist doctor is not availab

### Marks for HR:

1	Number Of teachers according to the specified yardstick *	12	
2	Qualification of teachers according to the specified yardstick	12	
3	Experience of technicians according to the specified yardstick**	3	
4	Availability of full-time course coordinator	3	

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

### \*\* Experience in years:

5 years	3
3 – 5yrs	2
2 – 3yrs	1

# **B.** Arrangements for Practical Training

### B-1: Operation Theater Size: 20 x 20 feet

### **B-2: Basic Facilities**

- 1 Aseptic Zone/ separating area having washable floors and walls
- 2 Changing area
- 3 Sterilization & equipment instruments and linen area
- 4 Scrub Area
- 5 Operating Area
- 6 Waste & waste management area

### B-5:<u>Equipments</u>

1 Operating table

2	Ceiling Operation Theater light with multiple reflectors
3	Electro surgical Unit/ Electro-cautery machine
4	All essential surgical instruments
5	Autoclave/ facility for sterilization
6	Suction machines
7	Monitoring Devices like cardiac monitor pulse oximeter
8	Resuscitation trolley/ equipment including defibrillator
9	Anesthesia Machine Laryngoscope sets
10	Gas supply system i.e. Oxygen and Nitrous Oxide
11	Air Conditioning
12	Refrigerator for keeping blood, essential medicines
13	Backup & Generator/ Ups for electricity failure

# Marksfor Practical Training:

1	Operation Theater (Room Specifications) a) Operation Theater size according to parameters = b) Basic Facilities = 5 Maximum Marks = 8	3	8
2	Equipment		7
3	Demonstration Room for OT instruments (within teaching campus)		5
		Total:	20

## **Cumulative Assessment:**

1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Specialist Doctor	MBBS, M. Phil/FCPS/PM (Community Medicine)/Master in Public Health
Technologist*	BSc (Hons), Public Health
Public Health Technician	With 5 years' experience in relevant
/ Sanitary Inspector	department/functional unit
	*in case a specialist doctor is not available

### Marks for HR:

1	Number of teachers according to the specified yardstick *	12
2	Qualification of teachers according to the specified yardstick	12
3	Experience of technicians according to the specified yardstick **	3
4	Availability of full-time course coordinator	3

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years or more	3
3 – 5 yrs	2
2 – 3 yrs	1

# **B.** Arrangements for Practical Training

### B-1: Demonstration room within Institute:

### i) Physical Parameters

- 1. Demonstration room
- 2. Transportation arrangements for students
- 3. Laboratory with basic facilities

### j) Demonstration Room

- Properly ventilated room with minimum dimension: Size: 15 feet x 20 feet
- 2. Instruments for larvicidal and insecticidal activity
- 3. Water sampling equipments
- 4. Food sampling eqipments

### k) Laboratory with basic facilities

- 1) Properly ventilated laboratory with minimum dimension: Size: 15 feet x 20 feet
- 2) Water supply was basin and gas burners for experiments work
- 3) Marble table tops for laboratory (height 34 inches)
- 4) Laboratory chair or student lab seats

### l) Equipments

- 3. Student Microscopes
- 4. Weighing balance
- 5. Measuring cylinders
- 6. Beakers
- 7. Conical flask
- 8. Pipettes
- 9. Pestle and Mortar
- 10. Funnel
- 11. Burner
- 12. Tripod stand
- 13. Glass rods
- 14. Litmus paper
- 15. Glass or Porcelain tile
- 16. Filter paper
- 17. Spatula
- 18. First Aid equipments
- 19. Fridge
- 20. Vaccine carrier with a set of ice packs
- 21. Cold chain thermometer
- 22. Syringe cutter
- 23. All types of syringes used in EPI e.g. auto disable 21-24-26

### m) Stationery

- 1 All performas (a set) used in EPI routine programme (polio days / immunization campaigns)
- 1 Sanitary Inspector field book with all relevant
- performas used for multi-purpose health worker
- 1 All types of charts EPI, CDC and Sanitary Inspector for display

### n) Stain and Media

- 1. Giemsa's Stain/
- 2. Gram Stain
- 3. Cedar wood oil
- 4. Reticulcyte stain

- 5. ZN stain
- 6. Blood agar
- 7. Chocolate agar
- 8. Reagents for water testing

## o) Samples / Models

- 1. Models / samples of insects of clinical importance
- 2. Models / samples of parasites of clinical importance
- 3. Availability of sampling kits
- 4. Insect aspirator
- 5. Magnifying glass 10 \*
- 6. Model / Mannequin for first aid training

### Marks for Practical Training:

Class Room / Demonstration Room	
<ul><li>e. Physical Parameters = 1</li><li>f. Proper seating arrangements = 1</li></ul>	4
<ul> <li>g. Instruments for larvicidal and insecticidal activity = 1</li> <li>h. Food &amp; Water sampling equipment = 1</li> </ul>	
Transportation arrangements for student visits / attachments	4
Laboratory facilities with basic necessities Demonstration	
j. Equipment = 1	4
k. Stains and media = 1	
I. Samples / Models = 1	
Arrangements for practical attachments ( in the form of MOU	
	8
	-
g. Hospital attachment = 2	
Total:	20
	<ul> <li>e. Physical Parameters = 1</li> <li>f. Proper seating arrangements = 1</li> <li>g. Instruments for larvicidal and insecticidal activity = 1</li> <li>h. Food &amp; Water sampling equipment = 1</li> </ul> Transportation arrangements for student visits / attachments Laboratory facilities with basic necessities Demonstration Room <ul> <li>i. Physical Parameters = 1</li> <li>j. Equipment = 1</li> <li>k. Stains and media = 1</li> <li>l. Samples / Models = 1</li> </ul> Arrangements for practical attachments ( in the form of MOU / written permission) <ul> <li>d. EDO / DC office for C.D experience = 2</li> <li>e. EPI Control = 2</li> <li>f. Municipal Administration attachment = 2</li> <li>g. Hospital attachment = 2</li> </ul>

### **Cumulative Assessment:**

1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Specialist Doctor	MBBS, Orthopedic, Physiotherapist
Technologist*	BSc (Hons), DPT
Physiotherapy Technician	With 5 years' experience in relevant department
	*in case a specialist doctor is not availabl

### Marks for HR:

1	Number of teachers according to the specified yardstick *	12
2	Qualification of teachers according to the specified yardstick	12
3	Experience of technicians according to the specified yardstick **	3
4	Availability of full-time course coordinator	3

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years or more	3
3 – 5 years	2
2 – 3 years	1

# **B.** Arrangements for Practical Training

### B-1: Functional physiotherapy department within Institute:

### p) Physical Parameters

- 4. Properly air-conditioned department with minimum 6 treatment beds for 25 students
- 5. Washroom, wash basin facility and proper water supply
- 6. Stools and chairs
- 7. Proper electrical supply
- 8. Separators and blinds for patient privacy

### q) List of required equipment

- 5. Automated Traction Machine
- 6. Treatment tables with pillows
- 7. Ultraviolet lamp

8.	Infra-red lamp
9.	Currents modal (Interrupted direct current. Faradic current,
	TENS device, Sinusoidal current and interferential current)
	with cables and electrodes
10.	Short Wave Diathermy
11.	Paraffin Wax bat unit
12.	Hydrotherapy Unit / Poll with floaters and devices
13.	Hydro collator Unit with Hot packs and towels
14.	Freezer / Cry therapy Unit with cold packs
15.	Suspension therapy Unit
16.	Pulleys
17.	Shoulders exercises Wheel
18.	Ladder bar
19.	Weight (dumbbells, cuff weight), TheraBand with different
	resistances
20.	Gym Ball and Peanut Ball
21.	DeLorme chair with weight, Stationary Cycle, Treadmill
22.	Exercise therapy Mat
23.	Parallel bars with mirrors
24.	Steps Stool
25.	Canes, Tripods, Crutches, Walking Frames
26.	Immobilizers, orthotics and prosthetics
27.	Spirometer
28.	Goniometer

# Marks for Practical Training:

1	Physical parameters	7
2	Equipment	10
3	Practical book	3
	Total:	20

# **Cumulative Assessment:**

1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Doctor	FRCS/ FCPS/ MS
<b>Biomedical Engineer</b>	BS/BSc./BE Engineering
Technician / Operator	CSSD Operator / Technician with 5 years' experience

### Marks for HR:

1	Number Of teachers according to the specified yardstick *	12	
2	Qualification of teachers according to the specified yardstick	12	
3	Experience of technicians according to the specified yardstick**	3	
4	Availability of full-time course coordinator	3	

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years	3
3 – 5 yrs	2
2 – 3 yrs	1

# **B.** Arrangements for Practical Training

### B-1: CSSD Department

### **B-2: Basic Facilities**

- 1 Receiving area / Dirty area
- 2 Washing area
- 3 Packing area
- 4 Sterile Zone
- 5 Dispatching area

### B-5:<u>Equipments</u>

- 1 Washing unit
- 2 Steam sterilizer
- 3 Ultrasonic cleaner
- 4 Paper dispensing trolley
- 5 Paper sealing machine
- 6 Cutting device
- 7 Automatic trolley wash
- 8 Dry cabinet
- 9 Theater Sterile Supply Unit
- 10 Low temperature sterilizer

## **Marksfor Practical Training:**

	CSSD (Area Specifications)	
1	b) CSSD parameters as per defined standards = 3	0
T	b) Basic Facilities = 5	ŏ
	Maximum Marks = 8	
2	Equipment	7
3	Demonstration Room for CSSD (within teaching campus)	5
	Total:	20

### **Cumulative Assessment:**

1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Doctor	Consultant Nephrologist PMC/PMDC Certified Nephrologist
Technologist	BSc. Dialysis Technologist
Technician	Dialysis Technician with 5 years' experience in relevant field

### Marks for HR:

1	Availability of Doctor according to the specified yardstick	15	
2	Availability of technologist	10	
3	Availability of Dialysis Technician and course coordinator	5	

A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

5 years	3
3 – 5 years	2
2 – 3 years	1

# **Arrangements for Practical Training**

### Demonstration / Teaching Rooms within Institute:

- 22. Properly ventilated rooms with adequate illumination : 20 feet x 20 feet
- 23. Double lumen Hemodialysis Catheter
- 24. Permanent Dialysis Catheter
- 25. RO flow chart
- 26. Dialyzer sets
- 27. Fistula AVF needles
- 28. Dialyzer tubing
- 29. Peritoneal Dialysis equipment related flow chats
- 30. Flow charts related to all above

**Dialysis Unit** 

1	Minimum 5 Machines
2	Separate Machine for Hepatitis patients
2	Minimum numbers of dialysis 150 per month
3	Water plant service record for quality assurance
4	SOPS Wastes products management services record with separate
	sharp bin arrangements
5	SOPS for prevention for infection control
6	Students changing room
7	Area for bedside clinical learning
8	Monitoring devices like cardiac monitor, ECG, BP apparatus,
	resuscitation trolley and defibrillator.
9	Refrigerator and Air Conditioner
10	Demonstration room for education and training
11	Procedure room for training

# Marksfor Practical Training:

1	Machines	10
2	Equipment	5
3	Demonstration Room	5
	Total:	20

### **Cumulative Assessment:**

1	Human Resource Arrangements for practical training	30 20	
	Total	50	

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION	Number
Specialist Doctor/Ophthalmologist	MBBS along with FCPS (Ophthalmology)	One
Infection Control Specialist / Microbiologist	M. Phil or BSc (Hons)	One
Demonstrator	MBBS / BSc (Hons)	One
Ophthalmic Technologist/ Optometrist/Refractionist*	BSc (Hons)	One
Ophthalmic Technician	With 5 years' experience in relevant field	One
	*in case a specialist doctor is not a	ivailable

Marks for HR:

1	Number of teachers according to the specified yardstick *	12
2	Qualification of teachers according to the specified yardstick	12
3	Experience of technicians according to the specified yardstick **	3
4	Availability of full-time course coordinator	3

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years or more	3
3 – 5 yrs	2
2 – 3 yrs	1

# **B.** Arrangements for Practical Training

### B-1: Demonstration / Teaching Rooms within Institute:

### r) Physical Parameters

- 31. Properly ventilated rooms with adequate illumination : 15 feet x 20 feet
- 32. Marble table tops for machinery / equipment (height 34 inches)
- 33. Student lab. stools (at least 10)

### s) Equipments

- 24. Eye test Chart / visual acuity charts
- 25. Projector
- 26. White board
- 27. Chairs for students
- 28. Table
- 29. Lecture Stand / Presentation Dias

### B-2: Functional Clinical Eye OPD rooms & Dressing Rooms:

### d) Physical Parameters

1 Properly ventilated rooms with adequate illumination : 15 feet x 20 feet

2 Marble /PVC tops for machinery / equipment (height 34 inches)

### e) Equipments / Machines

- 16. Eye test chart / visual acuity charts
- 17. Slit lamp
- 18. Torch
- 19. Tonometer
- 20. Visual field analyzer
- 21. B-Scan / Ultrasonography
- 22. Sophisticated and advanced eye equipments if available
  - FFA machine (Optional)
  - OCT machine (Optional)
  - Packy meter(Optional)
  - HRT machine (Optional)
- 23. Dressing trolley
- 24. Examination light
- 25. Patient couch / table
- 26. Dressing tray
- 27. Dressing drum
- 28. Instruments set for dressing
- 29. Autoclave
- 30. Hot air oven
- 31. Needle / Syrinbe cutters

2

### f) Arrangements for Tests

- 1 Eye Screening, Vision / Refraction Diagnostic tests:
  - B-Scan
  - FFA (Optional)
    - OCT (Optional)

Glaucoma diagnostic test: Visual Field 3 CCT (Optional HRT (Optional)

### **B-3:**Functional Eye Operation Theatre:

### g) Physical Parameters

- 1 Well secluded room with no direct access to exterior : 15 feet x 20 feet
- 2 Non-Porous walls
- 3 Marble /PVC floor
- 4 Air Conditioners (for maintenance of OT Temperature)


### h) Equipments / Machines

- 32. Autoclave
- 33. Hot air oven
- 34. Operating microscope with display or anterior view
- 35. Operation light
- 36. Operation table
- 37. Surgeon stool
- 38. OT trolleys
- 39. Patient couch
- 40. Patient Stretcher
- 41. Phacoemulsification machine
- 42. Vitrectomy machine
- 43. Needle / Syringe cutters

### 44. Surgical instruments sets for:

- Cataract Surgery
- Squint Surgery
- Vitreoretinal Surgery
- Oculoplastic Surgery
- Corneal Transplant Surgery
- Chalazion Surgery

### Marks for Practical Training:



2	Fun h. i. j.	ctional Clinical Eye OPD Rooms & Dressing Rooms Physical Parameter= 2 Equipments/Machine = 4 Variety of Tests = 2	08
	<b>Fun</b> a) b) c)	ctional Eye Operation Theatre Physical Parameter= 2 Equipments/Machine = 4 Variety of Tests = 2	08
	ĺ	Total:	20

### **Cumulative Assessment:**

Sr. No.	Cumulative Assessment	Total Marks
1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

# **Requirements for Endoscopy Technician**

# A. Human Resource

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Doctor	FRCS/ FCPS/ MD
Staff Nurse	BSc Nursing
Technician	Endoscopy Technician / One year experience letter from Head of Department Gastroenterology

### Marks for HR:

1	Number Of teachers according to the specified yardstick *	12	
2	Qualification of teachers according to the specified yardstick	12	
3	Experience of technicians according to the specified yardstick**	3	
4	Availability of full-time course coordinator	3	

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years	3
3 – 5 yrs	2
2 – 3 yrs	1

# **B.** Arrangements for Practical Training

# B-1: Endoscopy Room Size: 14 x 14 feet

### **B-2: Basic Facilities**

1	Endoscopy Room	Minimum 2 Rooms
		Size 14 x 14 feet
2	Sterilization area	10 x 10 feet
3	Waiting area	15 x 20 feet
4	Recovery area	40 x 40 feet
5	Changing room	10 x 5 feet
6	Class room	12 x 12 feet
7	Fluoroscopy room	20 x 20 feet

8	Wash basins	2
9	Motility Lab (Optional)	10 x 10 feet
10	PH Monitoring Lab (Optional)	10 x 10 feet
11	Endoscopy Ultrasound lab	14 x 14 feet
	(Optional)	

### B-3:Equipments

- 1 Endoscopy work station
- 2 Stretcher
- 3 Monitoring devices like cardiac monitor pulse oximeter
- 4 Electro surgical unit / electro-cauter machine
- 5 Facility for sterilization
- 6 Suction machine
- 7 Resuscitation trolley / equipment including defibrillator
- 8 Anesthesia machine laryngoscope sets
- 9 Gas supply system i.e. oxygen
- 10 Air conditioning
- 11 Refrigerator for keeping essential medicines
- 12 Backup & Generator / UPS for electricity failure
- 13 Backup endoscopy equipment
- 14 Sangstaken Blakemore tubes

### Marksfor Practical Training:

1	Endoscopy Rooms Specifications c) Endoscopy room size according to parameters = 3 b) Basic Facilities = 5 Maximum Marks = 8	8
2	Endoscopy Equipment	5
3	Demonstration Room for Endoscopic Equipments (within teaching campus)	5
	Number of Endoscopy Procedures per week / month	2
	Total:	20

### **Cumulative Assessment:**

1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Specialist Doctor	BDS
Demonstrator Dental Technician	BDS With 5 years' experience

### Marks for HR:

1	Number of teachers according to the specified yardstick *	12
2	Qualification of teachers according to the specified yardstick	12
3	Experience of technicians according to the specified yardstick **	3
4	Availability of full-time course coordinator	3

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years or more	3
3 – 5 years	2
2 – 3 years	1

# **B.** Arrangements for Practical Training

# B-1: Demonstration Lab within Institute:

### t) Physical Parameters

Sr. No.	Building	Requirements
34.	Minimum five fully ventilated rooms	Including the following rooms with proper lights
35.	Prosthetic Lab 10 x 12 feet	One
36.	Ceramic lab 10 x 12 feet	One
37.	Pricipal Office	One
38.	Admin Office	One
39.	Wash Rooms	One
40.	Lecture Room 10 x 12 feet	Two
41.	Open Area	As per need

### B-2: Functional Clinical Lab:

# i) Physical Parameters

Properly ventilated and room temperature controlled laboratory: Size: 15 feet x20 feet

# j) List of Equipments:

Sr.	Name of Electro-Medical Equipment	Requirements
No.		
45.	Metal alloy grinder high speed	One
46.	Porcelain furnace	One
47.	Preheat furnace	One
48.	Vibrator	One
49.	Casting ally machine	One
50.	Sand blaster	One
51.	Air compressor	One
52.	Articulators	As per need
53.	Student chairs / stools	As per need
54.	Steel or marble tables for practice work	As per need

### List of Equipments prosthetic lab:

Sr. No.	Name of Electro-Medical Equipment	Requirements
1.	Micro motor slow speed	As per need
2.	Micro motor high speed	As per need
3.	Lathe machine grinding	One
4.	Lathe machine for finishing	One
5.	Lathe machine for polishing	One
6.	Burner for wax work	Lab specified
7.	Burner for curing	Lab specified
8.	Press simple hydraulic	One
9.	Articulator	As per need
10.	Surveyor	One
11.	Vibrator	One
12.	Vaccume mixer	One
13.	Flasks	As per need

# k) Arrangements for practicals

Sr. No.	Lab Practicals
1	Prosthetics
2	Orthodontics
3	Crown & Bridge
4	Obturators

# List of materials for prosthetic (A):

Sr. No.	Name of Material	Requirements
1.	Hard plaster	As per need
2.	Investment material	As per need
3.	Self-cure acrylic	As per need
4.	Heat cure acrylic	As per need
5.	Pre formed acrylic teeth	As per need
6.	Alloy metal	As per need
7.	Porcelain body	As per need
8.	Porcelain Opaque	As per need
9.	Porcelain Enamel	As per need
10.	Porcelain Glaze	As per need
11.	Wax different type	As per need
12.	Sand special quality	As per need
13.	Lubriflm	As per need
14.	Porcelain brushes	As per need
15.	Asbestos	As per need
16.	Articulation papers	As per need

# List of materials for orthodontics (B):

Sr.	Name of Electro-Medical Equipment	Requirements
No.		
1.	Acrylic methyl	As per need
2.	Heat cure	As per need
3.	Self-cure	As per need
4.	Waxes	As per need
5.	Soft plaster	As per need
6.	Hard plaster	As per need
7.	Teeth pre molded	As per need
8.	Polishing discs-buffs cakes	As per need
9.	Fumic powder brushes	As per need
10.	Surveyor	As per need
11.	Vibrator	As per need
12.	Vacuum Mixer	As per need
13.	Flasks	As per need
14.	Bowls different shapes size	As per need

# Marks for Practical Training:

	Den	nonstration Lab within Institute	
	о.	Physical Parameters = 3	
1	p.	Equipments = 3	10
	q.	Material A = 2	
	r.	Material B = 2	

	Maximum Marks = 10	
	Functional Clinical Lab	
	k. Physical Parameter= 3	
2	I. Equipments = 4	10
	m. Tasks = 3	
	Maximum Marks = 10	
	Total:	20

# **Cumulative Assessment:**

1	Human Resource	30
2	Arrangements for practical training	20
	Total	50

Faculty requirements for each 25 students:

STAFF	MINIMUM QUALIFICATION
Specialist Doctor	Qualified Anesthesia Specialist with following qualification and registered with PMDC(FRCA, FCPS, MS, MCPS, DA)
Technologist*	BSc (Hons)
Anesthesia Medical Officer	MBBS
Anesthesia Technician	With 5 years' experience in relevant field
	*in case a specialist doctor is not available

### Marks for HR:

	1	Number of teachers according to the specified yardstick *	12	
	2	Qualification of teachers according to the specified yardstick	12	
	3	Experience of technicians according to the specified yardstick **	3	
	4	Availability of full-time course coordinator	3	
r .				

\* A faculty member, who is Government employee, shall not be considered as part-time teacher unless s/he has a valid NOC from administrative in-charge.

\*\* Experience in years:

5 years or more	3
3 – 5 yrs	2
2 – 3 yrs	1

# **B.** Arrangements for Practical Training

### B-1: Demonstration / Teaching Rooms within Institute

- a. Endotracheal Tubesb. Laryngoscope set
- c. | LMA (Laryngeal mask airways)
- d. Guedels airways set
- e. Sty let / Bogie
- f. Anesthesia mask set, all
- g. Ambu Bag (Adult & Paediatric)
- h. Soda limt
- i. Micro burette
- j.
- Infusions (normal saline
- k. Haemccel II 5% D/W
- I. Gelafundin III Ringers lactat
- m. Epidural set
- n. Ventimask with tube
- 0. Regulator & Gauges

### **Injections**

- 42. Propofol
- 43. Pentothal
- 44. Suxamethonium
- 45. Tracrium (Atracurium)
- 46. Rocuronium
- 47. Glycopyrolate
- 48. Neostigmine
- 49. Ketamine
- 50. Dormicum
- 51. Diazepam
- 52. Phenylephrine
- 53. Ephedrine
- 54. Atropine
- 55. Adrenatline
- 56. Potassium
- 57. Calcum
- 58. Solucortef
- 59. Lignocaine
- 60. Lopressor
- 61. Isoket
- 62. Nitronil (Nitroycene)
- 63. Lanoxin
- 64.
  - 25% D/water

# u) Equipments

Anesthesia face mask Rebreathing bags Guidel oral airway Laryngoscopes Magill forceps adult and pediatric Stethoscope B.P apparatus with stand Revolving stools Scissors Sty let / Gum elastic bogie Tounge holding forceps Catheter mount (extended connector) Yapese Drip stand Nasopharaychil airways	All sizes All sizes All sizes All sizes
Endo tracheal tubes both cuffed and uncuffed Raiendo tracheal tube	All sizes All sizes
Bull nose cylinder with pressure regulator and gauge and vent mask with tubing's	1
Ambu bags adult and pediatric size with masks Vent mask adult and pediatric size tubing Syringe / infusion pump	

Monitor	ĺ
Pulse oximeter having adult and paidietric probes	l.
Respiration, gases, AWP, BIP	1
All essential drugs for anesthesia and adjuvant drugs	
Nasogastric tubes	All sizes
Neltoncatnetat	All sizes
Microburete	
Surges	All sizes
ECG Electrodes	
Fluids	
Bandages	r
Sticking plaster	
Throat pack	
Emergency trolley	
All essential drugs	
Ambo bags adult pediatric with mask	
Baby warmer and resuscitation trolley	
Pulse oximeter with paidietric probe	
Syrings	
Endotracheal tubes having sizes 1 D 2mm to ID 3.5mm	
(Video laryngoscope, Video bronchoscope, Glideslop	e) optional

# **B-2:** Function Clinical Lab

- i. Epidural set
- ii. Cylenders
- iii. Regulator & Gauges
- iv. Anesthesia work station
- v. Scrub area
- vi. Instruments sterilization and cleaning area
- vii. Gas room
- viii. Gas failure alarm (on central supply as well as anesthesia machine)
- ix. Pre-anesthesia station
- x. Pin index cylinders for oxygen and nitrous oxide attached with machine
- xi. Post anesthesia care unit / recovery
- xii. Washable floors and walls
- xiii. Class room with audio / visual facility

# Anesthesia Work Station Anesthesia Machine with Ventilator Breathing Circuits

# Note: If disposable circuit then use only once

# v) Equipments

Suction apparatus Blood and fluid warming device Defibrillator Availability of backup ventilation, emergency lights, generator, ups Gas room, for supply of gases 4 cylinder interchangeable manifold, 2 for oxygen and 2 for nitrous oxide

(Video laryngoscope, Video bronchoscope, Glideslope) optional

# Post anesthesia care unit (PACU)

Monitoring facility, essential drugs

### Marks for Practical Training:

Sr. No.	Practical Training	Total Marks	Marks Obtained
1	<ul> <li>Demonstration Rooms Lab within Institute</li> <li>n. Physical Parameter= 2</li> <li>o. Equipments/Machines = 4</li> <li>p. Injections = 2</li> </ul>	08	
2	<ul> <li>Functional Lab / Operation Theatre</li> <li>a. Physical Parameter= 2</li> <li>b. Equipments/Machines = 4</li> <li>c. Anesthesia work station = 2</li> <li>d. Anesthesia machine with ventilator - 4</li> </ul>	12	
	Total:	20	

#### **Cumulative Assessment:**

Sr. No.	Cumulative Assessment	Total Marks	Marks Awarded
1	Human Resource	30	
2	Arrangements for practical training	20	
	Total	50	

This memorandum of understanding is made on \_\_\_\_\_\_ between \_\_\_\_\_\_ hospital represented by its MS/ Director/ Owner herein named as party one and \_\_\_\_\_\_ Paramedical Institute/ College/ School represented by its Principal/ Owner/ Administrator herein named as party two.

Party one owns a hospital that has beds strength. It is registered / provisionally licensed / licensed with Balochistan Healthcare Commission under No.\_\_\_\_\_dated\_\_\_\_\_. The hospital is equipped with the following fully functional facilities:

l:	III:
II:	IV:

The parties hitherto agree as follows:

1. Party one agrees to provide opportunity of practical training to the students admitted by party two in the following disciplines / technologies:

Category	No. of Students	
a)	 	
b)	 	
c)	 	

- 2. Party two takes the responsibility of ensuring discipline of students including wearing appropriate uniform which distinguishes them.
- 3. Duration of practical training shall be as prescribed in the relevant curriculum of Balochistan Medical Faculty (BMFQ).
- 4. Both parties shall jointly prepare a practical training plan / timetable which shall be communicated to BMFQ. Implementation of training plan shall be monitored by BMFQ and any deviations shall lead to appropriate action by the relevant regulatory authority.
- 5. On completion of internship/training party one shall sign a logbook / practical notebook verifying contents and duration of practical training.
- 6. Party one shall not enter into similar agreement with some other paramedical institution.
- 7. This agreement shall be valid till date of expiry of duration of affiliation of party two with BMFQ or two years whichever is earlier.

Signatures:		Signatures:
Name:		Name:
Designation:		Designation:
	(Party One)	(Party Two)

(on Judicial Stamp Paper of Rs.100/-)

\_hereby undertake that:

(Name of Institution)

- 1. All relevant rules, regulations and instructions of the Balochistan Medical Faculty regarding conduct of courses in Allied Health Sciences and their examinations will be followed.
- 2. The Admission Policy and Eligibility Criteria for students for different courses will be strictly adhered to.
- 3. Information required by the Faculty, including Teaching Plan for students, will be provided as and when required.
- 4. Curriculum as prescribed and approved by the Balochistan Medical Faculty will be followed. Duration of Courses as laid down by the Faculty will be followed.
- 5. Beside theoretical classes, practical hands on training will be conducted in attached hospital / health facility as per requirements of curricula prescribed by the Faculty.
- 6. Registration of the students will be done in accordance with the Faculty requirement. Dues / Examination Fee will be paid for students when required.
- 7. Classes will be started only after the grant of affiliation is confirmed by BMFQ.
- 8. I have read the Guidelines and the terms and conditions of the affiliation and will abide by them strictly. In case of default BMFQ will have the right to take any action as deemed appropriate including disaffiliation of the institute.

Head of Institution / Deponent

Dated: